







宇宙学中的结构与动力学

Structures and Dynamics in Cosmology

January 13-17, 2025 Room A-121, TSIMF

组织者 ORGANIZERS

Lars Andersson, Beijing Institute of Mathematical Sciences and Applications

Todd Oliynyk, Monash University

Zoe Wyatt, University of Cambridge

Xiaoning Wu(吴小宁), University of Chinese Academy of Science

Contents

About	1
Schedule	2
January 13, 2025, Monday	2
January 14, 2025, Tuesday	2
January 15, 2025, Wednesday	3
January 16, 2025, Thursday	3
January 17, 2025, Friday	4
Titles and Abstracts	5
Qi Guo	5
David L.Wiltshire	5
Marco Galoppo	6
Daniela Cors	6
Florian Beyer	6
Francesco Sylos-Labini	7
Ulrich Sperhake	7
Jinhua Wang	7
Chao Liu	8
Bin Hu	8
David Fajman	9
Håkan Andreasson	9
Marco Bruni	9
Wen Zhao	10
Xinliang An	10
Alex Vañó Viñuales	10
Jian-Hua He	10
Shi Pi	
Shao-Jiang Wang	
Welcome to TSIMF	12
About Facilities	13
Registration	13
Guest Room	13
Library	14

Restaurant	14
Laundry	15
Gym	
Swimming Pool	
Free Shuttle Bus Service at TSIMF	15
Playground	15
Contact Information of Administration Staff	16

About

Structures and Dynamics in Cosmology 宇宙学中的结构与动力学

Date

January 13-17, 2025

Venue

Room A-121, TSIMF

Organizers

Lars Andersson, Beijing Institute of Mathematical Sciences and Applications Todd Oliynyk, Monash University Zoe Wyatt, University of Cambridge Xiaoning Wu(吴小宁), University of Chinese Academy of Science

Description of the aim

In the past few decades, there have been remarkable advances in both observational and theoretical aspects of cosmology. However, significant challenges remain in understanding the fully nonlinear features of cosmological dynamics. This conference aims to facilitate interactions between the mathematical and physical cosmology communities, and to identify important future directions in the field. Some topics that will be discussed include: N-body simulations, structure formation, averaging, post-Newtonian cosmological expansions, quiescent big bang singularities, mixmaster and chaotic dynamics.

Schedule

Time&Date	Monday (Jan. 13)	Tuesday (Jan. 14)	Wednesday (Jan. 15)	Thursday (Jan. 16)	Friday (Jan. 17)
7:30-8:30			Breakfast		
09:00-10:00	Qi Guo	Francesco Sylos- Labini	David Fajman	Marco Bruni	Shi Pi
10:00-10:30			Coffee Break		
10:30-11:30	David L. Wiltshire	Ulrich Sperhake	Håkan Andréasson	Wen Zhao	Shao Jiang Wang
12:00-13:30			Lunch		
14:00-15:00	Marco Galoppo	Jinhua Wang		Xinliang An	
14.00-13.00	Daniela Cors	Chao Liu		Alex Vañó Viñuales	
15:00-15:30	Coffee Break			Coffee Break	
15:30-16:30	Florian Beyer	Bin Hu		Jian-Hua He	
16:30-17:30					
17:30-19:00	Dinner				

Schedule

January 13, 2025, Monday

Time 日期	Name 报告人	Title 报告题目	
7:30-8:30	Breakfast		
09:00-10:00	Qi Guo Hyper-Millennium project: a hyper cosmological simulation for the next generation of large-scale structure survey		
10:00-10:30	Coffee Break		
10:30-11:30	David L. Wiltshire Cosmology beyond the dark ages		
12:00-13:30	Lunch		
14:00-15:00	Marco Galoppo	General Relativistic Galaxy Dynamics	
14:00-15:00	Daniela Cors	Gravitational waves from boson star mergers	
15:00-15:30	Coffee Break		
15:30-16:30	Florian Beyer	Nonlinear fluid dynamics near the Big Bang singularity	
16:30-17:30			
17:30-19:00	Dinner		

January 14, 2025, Tuesday

Time 日期	Name 报告人	Title 报告题目	
7:30-8:30	Breakfast		
09:00-10:00	Francesco Sylos-Labini	Statistical Properties of Cosmological Density Fields and the Size of the Largest Structures	
10:00-10:30	Coffee Break		
10:30-11:30	Ulrich Sperhake	Numerical Relativity and Applications in Cosmology	
12:00-13:30	Lunch		
14.00 15.00	Jinhua Wang	Noncompact n -dimensional Einstein spaces as attractors for the Einstein flow	
14:00-15:00	Chao Liu	The emergence of nonlinear Jeans-type instabilities for quasilinear wave equations	
15:00-15:30	Coffee Break		
15:30-16:30	Bin Hu	The possible evidence of modification to gravity	
16:30-17:30			
17:30-19:00	Dinner		

January 15, 2025, Wednesday

Time 日期	Name 报告人	Title 报告题目	
7:30-8:30	Breakfast		
09:00-10:00	David Fajman	Aspects of Mathematical Cosmology	
10:00-10:30	Coffee Break		
10:30-11:30	Håkan Andréasson	Oppenheimer-Snyder type collapse for a collisionless gas	
12:00-13:30		Lunch	
14:00-17:30			
17:30-19:00	Dinner		

January 16, 2025, Thursday

Time 日期	Name 报告人	Title 报告题目	
7:30-8:30	Breakfast		
09:00-10:00	Marco Bruni	Relativistic Nonlinear Dynamics in Structure Formation in ΛCDM	
10:00-10:30	Coffee Break		
10:30-11:30	Wen Zhao Gravitational-wave standard sirens and implication for cosmology		
12:00-13:30	Lunch		
	Xinliang An	How to Make a Black Hole	
14:00-15:00	Alex Vañó Viñuales	Hyperboloidal compactification for wave equations on FLRW backgrounds	
15:00-15:30	Coffee Break		
15:30-16:30	JianHua He Wave Effects of Gravitational Waves		
16:30-17:30			
17:30-19:00	Dinner		

January 17, 2025, Friday

Time 日期	Name 报告人	Title 报告题目	
7:30-8:30	Breakfast		
09:00-10:00	Shi Pi	Non-Gaussianities and Primordial Black Holes	
10:00-10:30	Coffee Break		
10:30-11:30	Shao Jiang Wang	Random sample generation for galaxy survey and sample variance correlation for distance ladder	
12:00-13:30		Lunch	
14:00-17:30			
17:30-19:00	Dinner		

Titles and Abstracts

Hyper-Millennium project: a hyper cosmological simulation for the next generation of large-scale structure survey

Qi Guo

National Astronomical Observatories, N body simulation and structure formation

Dark matter and dark energy are among the most important cutting-edge sciences. Extensive global efforts have been dedicated to the large-scale structure evolution through projects like LSST, DESI, Euclid, PFS, and the Chinese space station optical survey. We have successfully completed a N-body cosmological simulation that traces 4 trillion particles from redshift 100 to the present day within a 2.5 Gpc/h box. The particle mass is 3.2 x 10^8 solar masses, meeting the requirements for the next generation of large-scale structure surveys. This simulation aids in understanding the systemic and statistical uncertainties involved in studying large-scale structure formation, including baryon acoustic oscillations, redshift distortion, weak lensing, high redshift AGNs and etc. In my presentation, I will delve into the details of the simulation and discuss advancements made in galaxy and AGN formation models.

Cosmology beyond the dark ages

David L. WiltshireUniversity of Canterbury

For 25 years a standard model of cosmology has reigned in which most of the stuff in the universe is mysterious: 70% dark energy attributed to a cosmological constant, Λ, and 25% to cold dark matter particles. Their effects are only inferred gravitationally. However, standard cosmology does not use the full possibilities of Einstein's general relativity. For nearly 2 decades, I have been working on an alternative cosmology, the timescape, revisiting the foundations of Einstein's theory: the issues of quasilocal energy and angular momentum in a Universe with large complex structures. Quantitative predictions had to wait til the 2020s for observations to reach a precision to distinguish the timescape from the 100–year old Friedmann-Lemaˆıtre models, on which standard cosmology is based. With a huge variety of new data now pouring in, standard cosmology is increasingly challenged. But the timescape and related solutions are fitting well [1-4], offering new insights, new questions, and a potential change to our fundamental paradigm for the universe.

References

- [1] A. Seifert, Z.G. Lane, M. Galoppo, R. Ridden-Harper and D.L. Wiltshire, "Supernovae evidence for foundational change to cosmological models." Mon. Not. R. Astr. Soc. Letters, 537 (2025) L55.
- [2] Z.G. Lane, A. Seifert, R. Ridden-Harper and D.L. Wiltshire, "Cosmological foundations revisited with Pantheon+." Mon. Not. R. Astr. Soc. 536 (2025) 1752.
- [3] M.J. Williams, H.J. Macpherson, D.L. Wiltshire and C. Stevens. "First investigation of void statistics in numerical relativity simulations." Mon. Not. R. Astr. Soc. 536 (2025) 2645.
- [4] M. Galoppo and D.L. Wiltshire. "Exact solutions for differentially rotating galaxies in general relativity." arXiv:2406.14157 [gr-qc] (2024).

General Relativistic Galaxy Dynamics

Marco Galoppo University of Canterbury

Conventionally the Newtonian limit of general relativity (GR) assumes an empty universe at spatial infinity. We demonstrate that for realistic isolated differentially rotating systems – disc galaxies – a new quasilocal Newtonian limit of GR is found to self-consistently couple gravitational energy and angular momentum. A modified Poisson equation is obtained, along with modifications to the equations of motions of the effective fluid elements. The results may have major implications for all gravitational physics on galactic and cosmological scales. We show that the phenomenology of collisionless dark matter for disc galaxies can be reproduced.

Gravitational waves from boson star mergers

Daniela CorsUniversity of Cambridge

We provide results of the gravitational-wave energy emitted by head-on collisions of equal-mass solitonic boson stars. Our numerical simulations span a two-dimensional parameter space, where a range of values for the central amplitude of the star is considered for different values of the solitonic constant. We report gravitational wave energies emitted by the merger of fluffy (less compact) boson stars that are up to an order of magnitude higher than those emitted by a binary black hole merger. The interplay between our control parameter - the distance separating the stars dictating the time of merger - and the multiple extrema present in the solitonic potentials considered, provide a surprisingly rich phenomenology. For certain values of the solitonic constant, the gravitational wave energy exhibits striking needle-sharp features across some range of central amplitudes, whilst in other regions of the parameter space it can drop discontinuously towards the value emitted by a binary black hole merger. An interpretation of all these results will be provided.

Nonlinear fluid dynamics near the Big Bang singularity

Florian Beyer University of Otago

This talk investigates the nonlinear dynamics of relativistic fluid matter near the Big Bang singularity, moving beyond assumptions of spatial homogeneity and isotropy. Over the past decade, significant progress has been made in understanding these dynamics through advances in the mathematical theory of partial differential equations, though many questions remain unresolved. I will provide an overview of these developments, present recent results from my collaboration with Todd Oliynyk, and discuss open problems in the field.

Statistical Properties of Cosmological Density Fields and the Size of the Largest Structures

Francesco Sylos-Labini Enrico Fermi Research Center

On cosmological scales, the distribution of galaxies raises critical questions, particularly regarding the existence of a definitive cut-off for the size of cosmic structures. Observations of the large-scale network of voids and filaments challenge the predictions of CDM models, which suggest that, on sufficiently large scales, the correlation function should become negative. This behavior implies a super-homogeneous distribution of matter, characterized by the suppression of long-wavelength density fluctuations compared to typical disordered systems, such as fluids or amorphous solids. Despite their significance, the super-homogeneous density fields predicted by CDM models remain underexplored and demand deeper theoretical and observational investigation. In particular, observational studies must aim to identify their signatures in galaxy surveys. Current data, however, reveal highly correlated galaxy structures—filaments and voids—that are challenging to reconcile with a super-homogeneous framework.

In this talk, I will review the principal scales of the standard CDM model, focusing on the homogeneity scale, which determines the distance at which gravitational dynamics adhere to linear evolution, and the scale at which the correlation function becomes negative, marking the transition from a homogeneous to a super-homogeneous distribution. I will then present an overview of the measurements of these length scales in redshift surveys and discuss the potential impact of new data from ongoing galaxy surveys, such as DESI and Euclid.

Numerical Relativity and Applications in Cosmology

Ulrich SperhakeUniversity of Cambridge

In this talk we provide a (in parts historically structured) overview of the methodology and developments in numerical relativity. We discuss the key challenges that have been overcome over the decades preceding the breakthroughs of the 2000s and how the codes have now matured into efficient toolboxes for exploring non-linear gravity phenomena across a wide range of key areas in contemporary physics. We discuss the specific considerations required for the numerical modeling of cosmological spacetimes, discuss where open challenges remain and review main applications and those issues that merit particular investigation in future work.

Noncompact n-dimensional Einstein spaces as attractors for the Einstein flow

Jinhua WangXiamen University

We prove that along with the Einstein flow, any small perturbations of an $n(n \ge 4)$ -dimensional, non-compact negative Einstein space with some "non-positive Weyl tensor" lead to a unique and global solution, and the solution will be attracted to a noncompact Einstein space that is close to the background one. The n=3 case has been addressed in Wang Yuan, while in dimension $n \ge 4$, as

we know, negative Einstein metrics in general have non-trivial moduli spaces. This fact is reflected on the structure of Einstein equations, which further indicates no decay for the spatial Weyl tensor. Furthermore, it is suggested in the proof that the mechanic preventing the metric from flowing back to the original Einstein metric lies in the non-decaying character of spatial Weyl tensor. In contrary to the compact case considered in Andersson-Moncrief, our proof is independent of the theory of infinitesimal Einstein deformations. Instead, we take advantage of the inherent geometric structures of Einstein equations and develop an approach of energy estimates for a hyperbolic system of Maxwell type.

The emergence of nonlinear Jeans-type instabilities for quasilinear wave equations

Chao Liu Huazhong University of Science and Technology

This talk (see arXiv:2409.02516) contributes a key ingredient to the longstanding open problem of understanding the fully nonlinear version of Jeans instability. We establish a family of self-increasing blowup solutions for the following class of quasilinear wave equations that have not previously been studied:

$$\partial_t^2 \varrho - \left(\frac{m^2 \left(\partial_t \varrho \right)^2}{(1+\varrho)^2} + 4 \left(k - m^2 \right) (1+\varrho) \right) \Delta \varrho = F \left(t, \varrho, \partial_\mu \varrho \right)$$

where F is given by

$$F\left(t,\varrho,\partial_{\mu}\varrho\right):=\underbrace{\frac{2}{3}\varrho(1+\varrho)}_{\text{(i) self-increasing (ii) damping}}\underbrace{-\frac{1}{3}\partial_{t}\varrho}_{\text{(iii) Riccati}} +\underbrace{\frac{4}{3}\frac{\left(\partial_{t}\varrho\right)^{2}}{1+\varrho}}_{\text{(iii) Riccati}} +\underbrace{\left(m^{2}\frac{\left(\partial_{t}\varrho\right)^{2}}{(1+\varrho)^{2}}+4\left(k-m^{2}\right)\left(1+\varrho\right)\right)q^{i}\partial_{i}\varrho}_{\text{(iv) convection}} -K^{ij}\partial_{i}\varrho\partial_{j}\varrho.$$

The result implies the solutions can attain arbitrarily large values over time, leading to self-increasing singularities at some future endpoints of null geodesics, provided the inhomogeneous perturbations of data are sufficiently small. This phenomenon is referred to as the nonlinear Jeans-type instability because this wave equation is closely related to the nonlinear version of the Jeans instability problem in the Euler-Poisson and Einstein-Euler systems, which characterizes the formation of nonlinear structures in the universe. The growth rate of \$\arrow\rangle\rangl

The possible evidence of modification to gravity

Bin HuBeijing Normal University

In this talk, I will review 3 different observations: Hubble tension revealed by the cepheid distance observation; DESI year 1 baryonic acoustic oscillation result; ultra-massive early type galaxies discovered by James Webb Space Telescope. Combining the three observations, we might have the first convincing evidence for modification to gravity.

Aspects of Mathematical Cosmology

David Fajman Vienna University

In this talk I will give an overview on results in the field of Mathematical Cosmology and an introduction to some aspects of the methods involved to obtain them. This concerns the Einstein equations and some particular classes of Einstein-matter systems.

Oppenheimer-Snyder type collapse for a collisionless gas

Håkan Andreasson University of Gothenburg

In the seminal work by Oppenheimer and Snyder from 1939 it is shown that a homogeneous ball of dust undergoes gravitational collapse. This work has had an enormous impact on the field since it predicts the existence of black holes. In this talk I will show that the Oppenheimer-Snyder type collapse can be approximated arbitrary well by solutions to the Einstein-Vlasov system. It is crucial for the argument to work in Painlevé-Gullstrand coordinates rather than in comoving coordinates which is standard in the case of dust. Extensions of this result to the inhomogeneous case will also be discussed. In particular, there exist inhomogeneous data for dust which give rise to naked singularities and it is thus of great importance to understand the relation between the dust solutions and the solutions to the Einstein-Vlasov system in the context of the weak cosmic censorship conjecture. This is a joint work with Gerhard Rein.

Relativistic Nonlinear Dynamics in Structure Formation in ACDM

Marco Bruni
University of Portsmouth

In this talk I will give an overview of work on nonlinear structure formation in Λ CDM in the context of General Relativity (GR). Starting from briefly presenting a post-Friedmann approximation, I will show how gravito-magnetic effects (AKA frame-dragging) can be extracted from standard Newtonian N-body simulations, as well as from N-body simulations with GRAMSES, an approximate GR code. I will then present full-GR simulations of a toy-model "cosmic web" of over-densities, voids and filaments with the Einstein Toolkit fluid code, showing how the first shell-crossing at peaks of over-densities is very well predicted by the simple top hat model, while in the formation of the cosmic web a role is played by gravito-magnetism, especially around filaments. In the last part of the talk I will illustrate some work in progress, some aimed at extending the work on frame-dragging on smaller galactic scales, some aimed at understanding to what extent relativistic effects can play a role during collapse and past the first shall crossing and virialization. I will conclude with an outline of possible future work.

Gravitational-wave standard sirens and implication for cosmology

Wen Zhao University of Science and Technology of China

We introduction the basic idea of using gravitational-wave event as a new probe, i.e. the standard sirens, to measure various cosmological parameters. The advantage and disadvantage, the detection status, and the potential futures of different gravitational-wave sources will also be discussed.

How to Make a Black Hole

Xinliang An
National University of Singapore

Black holes are predicted by Einstein's theory of general relativity, and now we have ample observational evidence for their existence. However theoretically there are many unanswered questions about how black holes come into being. In this talk, we will prove that, through a nonlinear focusing effect, initially low-amplitude and diffused gravitational waves can give birth to a black hole formation in our universe.

Hyperboloidal compactification for wave equations on FLRW backgrounds

Alex Vañó Viñuales University of Lisbon

This work is motivated by the study of the decay of a wave equation on flat and hyperbolic FLRW spacetimes with a time-dependent scale factor. Compactified hyperboloidal slices track wave packets until they leave the computational domain through future null infinity. The idea is to adapt the slices and compactification to account for the change in the spacetime's scale during the evolutions. This allows us to perform numerical simulations without a timelike outer boundary. I will show current results in spherical symmetry and how they enable the recovery of the decay rates obtained from evolutions on usual truncated Cauchy slices. Application of this hyperboloidal setup is also suitable for more general settings such as non-linear waves with self-interactions. Joint work with Flavio Rossetti.

Wave Effects of Gravitational Waves

Jian-Hua HeNanjing University, data analysis and simulation of cosmology

Wave effects are a crucial aspect of gravitational waves. When the wavelength of GWs is comparable to or greater than the Schwarzschild radius of an object, the propagation of gravitational waves no longer follows geometrical optics, and coherence and interference can occur. Despite their significance, studying these wave effects can be challenging due to their complexity.

In this talk, I will discuss numerical techniques for simulating these effects in the gravitational field

of a Schwarzschild black hole. I will talk about the back-scattering effect of the interaction between GWs and the background curvature. Finally, I will discuss the potential detectability of these wave effects in aLIGO.

Non-Gaussianities and Primordial Black Holes

Shi PiInstitute of Theoretical Physics, CAS

I will briefly review the recent progress in the non-Gaussian effect on the primordial black hole formation and the induced GWs. The most promising mechanism of generating PBHs is by the enhancement of power spectrum of the primordial curvature perturbation, which is usually accompanied by the the enhancement of non-Gaussianity that crucially changes the abundance of PBHs. I will show how non-Gaussianity is generated in single field inflation as well as in the curvaton scenario, and how to calculate PBH mass function with such non-Gaussianities. Non-Gaussianity only has mild effects on the induced gravitational waves (GWs), which gives robust predictions in the mHz and nHz GW experiments. I will also talk about the implications of the recently reported nHz GW signal, and the predictions in the space-borne interferometers.

Random sample generation for galaxy survey and sample variance correlation for distance ladder

Shao-Jiang WangInstitute of Theoretical Physics, Chinese Academy of Sciences


In this talk, I will talk about two separate problems in galaxy surveys and distance ladders. For galaxy survey, the large-scale correlation signal is extracted with respect to the random samples, whose current generation process may inherit signal residuals and could be in principle removed with pure mathematical constructions. For distance ladder, the sample variance in measuring the Hubble constant could correlate to the local environment of distance indicators, which may reveal a non-trivial clue for new physics beyond the LCDM model.



The facilities of TSIMF are built on a 23-acre land surrounded by pristine environment at Phoenix Hill of Phoenix Township. The total square footage of all the facilities is over 29,000 square meter that includes state-of-the-art conference facilities (over 10,000 square meter) to hold many international workshops simultaneously, two reading rooms of library, a guest house (over 10,000 square meter) and the associated catering facilities, a large swimming pool, gym and sports court and other recreational facilities.

Management Center of Tsinghua Sanya International Forum is responsible for the construction, operation, management and service of TSIMF. The mission of TSIMF is to become a base for scientific innovations, and for nurturing of innovative human resource; through the interaction between leading mathematicians and core research groups in pure mathematics, applied mathematics, statistics, theoretical physics, applied physics, theoretical biology and other relating disciplines, TSIMF will provide a platform for exploring new directions, developing new methods, nurturing mathematical talents, and working to raise the level of mathematical research in China.

About Facilities



Registration

Conference booklets, room keys and name badges for all participants will be distributed at the front desk. Please take good care of your name badge. It is also your meal card and entrance ticket for all events.



Guest Room

All the rooms are equipped with: free Wi-Fi (Password:tsimf123), TV, air conditioning and other utilities.

Family rooms are also equipped with kitchen and refrigerator.





Library

Opening Hours: 09:00am-22:00pm

TSIMF library is available during the conference and can be accessed by using your room card. There is no need to sign out books but we ask that you kindly return any borrowed books to the book cart in library before your departure.



In order to give readers a better understanding of the contributions made by the Fields Medalists, the library of Tsinghua Sanya International Mathematics Forum (TSIMF) instituted the Special Collection of Fields Medalists as permanent collection of the library to serve the mathematical researchers and readers.

So far, there are 271 books from 49 authors in the Special Collection of Fields Medalists of TSIMF library. They are on display in room A220. The participants are welcome to visit.



Breakfast 07:30-08:45 Lunch 12:00-13:30 Dinner 17:30-19:00

Restaurant

All the meals are provided in the restaurant (Building B1) according to the time schedule.





Laundry

Opening Hours: 24 hours

The self-service laundry room is located in the Building(B1).



Gym

Opening Hours: 24 hours

The gym is located in the Building 1 (B1), opposite to the reception hall. The gym provides various fitness equipment, as well as pool tables, tennis tables etc.



Playground

Playground is located on the east of the central gate. There you can play basketball, tennis and badminton. Meanwhile, you can borrow table tennis, basketball, tennis balls and badminton at the reception desk.

Swimming Pool

Please enter the pool during the open hours, swimming attire and swim caps are required, if you feel unwell while swimming, please stop swimming immediately and get out of the pool. The depth of the pool is 1.2M-1.8M.

Opening Hours: 13:00-14:00 18:00-21:00



Free Shuttle Bus Service at TSIMF

We provide free shuttle bus for participants and you are always welcome to take our shuttle bus, all you need to do is wave your hands to stop the bus.

Destinations: Conference Building, Reception Room, Restaurant, Swimming Pool, Hotel etc.



Contact Information of Administration Staff

Location of Conference Affairs Office: Room 104, Building A

Tel: 0086-898-38263896

Conference Affairs: Shouxi He 何守喜

Tel:0086-186-8980-2225

Email: heshouxi@tsinghua.edu.cn

Location of Accommodation Affairs Office: Room 200, Building B1

Tel: 0086-898-38882828

Accommodation Manager: Ms. Li YE 叶莉

Tel: 0086-139-7679-8300 Email: yel@tsinghua.edu.cn

IT

Yuanhang Zhou 周远航 Tel: 0086-133-6898-0169

Email: 13368980169@163.com

*Reception duty hours: 7:00-23:00, chamber service please call: 0086-38882828 (exterior line) 80000 (internal line)

*Room maintainer night duty hours: 23:00-7:00, if you need maintenance services, please call: 0086-38263909 (exterior line) 30162 (internal line)

Director Assistant of TSIMF

Kai CUI 崔凯

Tel/Wechat: 0086- 136-1120-7077 Email:cuik@tsinghua.edu.cn

Director of TSIMF

Prof.Xuan GAO 高瑄 Tel: 0086-186-0893-0631

Email: gaoxuan@tsinghua.edu.cn

清华大学三亚国际论坛管理中心 | 三亚清华数学论坛管理中心 Tsinghua Sanya International Mathematics Forum (TSIMF)

- 0086-898-38882828
 - 0086-898-38883896
- 0086-898-38883895
- tsimf@tsinghua.edu.cn
- 572000
- https://www.tsimf.cn
- 海南省三亚市天涯区清华路 100 号,清华三亚国际数学论坛 No.100, Tsinghua Road, Tianya District, Sanya, Hainan, P. R. China.

